



Airports

Nav aids

Airspace Fixes

Aviation Fuel

Hotels

iPhone App

My AirNav

1652 users online [LOGIN](#)

KROA Roanoke-Blacksburg Regional Airport/Woodrum Field

Roanoke, Virginia, USA



GOING TO ROANOKE?

**Hertz**[Reserve Online](#)[Reserve a Hotel Room](#)

FAA INFORMATION EFFECTIVE 24 FEBRUARY 2022

Location

FAA Identifier: ROA

Lat/Long: 37-19-31.7000N 079-58-31.5000W

37-19.528333N 079-58.525000W

37.3254722,-79.9754167

(estimated)


Elevation: 1175.2 ft. / 358.2 m (surveyed)

Variation: 08W (2010)

From city: 3 miles NW of ROANOKE, VA

Time zone: UTC -5 (UTC -4 during Daylight Saving Time)

Zip code: 24019

Road maps at: [MapQuest](#) [Bing](#) [Google](#)

Airport Operations

Airport use: Open to the public

Activation date: 05/1930

Control tower: yes

ARTCC: WASHINGTON CENTER

FSS: LEESBURG FLIGHT SERVICE STATION

NOTAMs facility: ROA (NOTAM-D service available)

Attendance: CONTINUOUS

Pattern altitude: 1975.2 ft. MSL

Wind indicator: lighted

Segmented circle: yes

Lights: SS-SR

Beacon: white-green (lighted land airport)

Operates sunset to sunrise.

Fire and rescue: ARFF index B

Aerial photo

WARNING: Photo may not be current or correct

Photo by Ken Stringer
Photo taken 21-Jun-2015
looking east.Do you have a better or more recent aerial photo of Roanoke-Blacksburg Regional Airport/Woodrum Field that you would like to share? If so, please [send us your photo](#).

Sectional chart

Airport Communications

UNICOM: 122.95

ATIS: 132.375

WX ASOS: PHONE 540-265-0680

ROANOKE GROUND: 121.9 257.8

ROANOKE TOWER: 118.3 257.8

ROANOKE APPROACH: 118.15 ;RWY 16/34 360-150, RWY 06 23 126.9 ;RWY 16/34 151-359, RWY 06 075 339.8 ;RWY 06, 16/34
 ROANOKE DEPARTURE: 118.15 ;RWY 16/34 360-150, RWY 06 23 126.9 ;RWY 16/34 151-359, RWY 06 075 339.8 ;RWY 06, 16/34
 CLEARANCE DELIVERY: 119.7
 CLASS C: 118.15 ;RWY 16/34 360-150, RWY 06 23 126.9 ;RWY 16/34 151-359, RWY 06 075 339.8 ;RWY 06, 16/34
 EMERG: 121.5 243.0
 IC: 126.9 ;RWY 16/34 151-359, RWY 06 075 339.8 ;RWY 06, 16/34

- ASR: ELEV 1160.0.



Nearby radio navigation aids

VOR radial/distance	VOR name	Freq	Var
ODR at field	WOODRUM VOR	114.90	08W
ROA r107/4.7	ROANOKE VOR/DME	109.40	04W
LYH r282/35.5	LYNCHBURG VOR/DME	109.20	05W
PSK r074/38.0	PULASKI VORTAC	116.80	06W

NDB name	Hdg/Dist	Freq	Var	ID
VINTON	336/8.6	277	08W	VIT . . . - . . -
TECH	079/21.6	368	08W	TEC - . - . -

Airport Services

- Fuel available: 100LL JET-A
- Parking: hangars and tie-downs
- Airframe service: MAJOR
- Powerplant service: MAJOR
- Bottled oxygen: NONE
- Bulk oxygen: HIGH/LOW

Runway Information

Runway 6/24

Dimensions: 6800 x 150 ft. / 2073 x 46 m
 Surface: asphalt/grooved, in good condition
 Weight bearing capacity: PCN 76 /F/B/X/T
 Single wheel: 150.0
 Double wheel: 200.0
 Double tandem: 310.0

Runway edge lights: high intensity
RUNWAY 6
 Latitude: 37-19.334133N
 Longitude: 079-59.039960W
 Elevation: 1152.0 ft.
 Traffic pattern: left
 Runway heading: 057 magnetic, 049 true

Displaced threshold: no
 Declared distances: TORA:6800 TODA:6800
 ASDA:6800 LDA:6800

RUNWAY 24
 37-20.058447N
 079-57.969517W
 1150.7 ft.
 left
 237 magnetic, 229 true
 790 ft.
 TORA:6800
 TODA:6800

Airport diagram



[Download PDF](#)
 of official airport diagram from the FAA

Airport distance calculator

Flying to Roanoke-Blacksburg Regional Airport/Woodrum Field? Find the distance to fly.

From to KROA

Sunrise and sunset

Times for 18-Mar-2022

	Local (UTC-4)	Zulu (UTC)
Morning civil twilight	07:02	11:02
Sunrise	07:28	11:28
Sunset	19:29	23:29
Evening civil twilight	19:55	23:55

Current date and time

Zulu (UTC) 18-Mar-2022 13:19:26
 Local (UTC-4) 18-Mar-2022 09:19:26

Markings: precision, in good condition

Visual slope indicator: 4-box VASI on left (3.00 degrees glide path)

Approach lights: MALSR: 1,400 foot medium intensity approach lighting system with runway alignment indicator lights

Runway end identifier lights: yes

Touchdown point: yes, no lights

Instrument approach: LDA/DME

ASDA:6800

LDA:6010

nonprecision, in good condition

4-light PAPI on left (3.00 degrees glide path)

PAPI UNUSBL

BYD 5 DEGS R OF CNTRLN DUE TO TRRN.

yes

yes, no lights

METAR

KROA 181254Z 0000KT 10SM CLR 12/08 A3008 RMK AO2 SLP183 T01170078

TAF

KROA 181120Z 1812/1912 VRB04KT P6SM FEW250 FM181600 15008KT P6SM SCT050 BKN200 FM182200 16010G15KT P6SM FEW050 OVC150 FM190400 17006KT P6SM -SHRA BKN035

NOTAMs

 [Click for the latest NOTAMs](#)

NOTAMs are issued by the DoD/FAA and will open in a separate window not controlled by AirNav.

Runway 16/34

Dimensions: 5810 x 150 ft. / 1771 x 46 m

Surface: asphalt/grooved, in good condition

Weight bearing capacity: PCN 54 /F/A/X/T

Single wheel: 150.0

Double wheel: 200.0

Double tandem: 310.0

Runway edge lights: high intensity

RUNWAY 16

Latitude: 37-19.737388N

Longitude: 079-58.867565W

Elevation: 1165.6 ft.

Traffic pattern: left

Runway heading: 156 magnetic, 148 true

Declared distances: TORA:5810

TODA:5810

ASDA:5810

LDA:5810

Markings: nonprecision, in good condition

Visual slope indicator:

Approach lights:

Touchdown point: yes, no lights

Instrument approach:

Obstructions: none

RUNWAY 34

Latitude: 37-18.926242N

Longitude: 079-58.230953W

Elevation: 1142.9 ft.

Traffic pattern: left

Runway heading: 336 magnetic, 328 true

Declared distances: TORA:5810 TODA:5810 ASDA:5810

LDA:5810

Markings: precision, in good condition

4-light PAPI on left (3.00 degrees glide path)

MALSR: 1,400 foot medium intensity approach lighting system with runway alignment indicator lights

Touchdown point: yes, no lights

Instrument approach: ILS

Obstructions: 837 ft. tower, lighted, 26070 ft. from runway, 30:1 slope to clear

Airport Ownership and Management from official FAA records

Ownership: Publicly-owned

Owner: ROANOKE BLACKSBURG RGNL/WOODRUM FIE
5202 AVN DR.

ROANOKE, VA 24012-1148

Phone 540 362-1999

Manager: MIKE STEWART

5202 AVN DR.

ROANOKE, VA 24012-1148

Phone 540-362-1999

Airport Operational Statistics

Aircraft based on the field: 101	Aircraft operations: avg 99/day *
Single engine airplanes: 73	36% transient general aviation
Multi engine airplanes: 19	30% local general aviation
Jet airplanes: 8	21% air taxi
Helicopters: 1	10% commercial
	3% military

* for 12-month period ending 30 April 2021

Additional Remarks

- E60- ENGINEERED MATERIALS ARRESTING SYSTEM (EMAS) 299 FT IN LENGTH BY 169 FT
34 IN WIDTH LCTD AT DER 34.
- DEP RWY 34 & ARR RWY 16 NA AT NIGHT OR DURING IFR COND DUE TO TRRN.
 - TSNT PILOTS CTC FBO UNICOM FOR ACFT PARKING AND ESCORT.
 - BIRDS INVOF ARPT.
 - TWY T CLSD TO ACFT WITH WINGSPAN GREATER THAN 118 FT.
 - COLD TEMPERATURE RESTRICTED AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -13C.
 - FOR OPR CONCERNS - ATCT 540-563-1307.
 - TKOF AND LNDG PER ASSESSMENT; RWY COND ASSESSMENT MATRIX NOT MNTD 2300-0600 DAILY.

Instrument Procedures

NOTE: All procedures below are presented as PDF files. If you need a reader for these files, you should [download](#) the free Adobe Reader.

NOT FOR NAVIGATION. Please procure official charts for flight.

FAA instrument procedures published for use from 24 February 2022 at 0901Z to 24 March 2022 at 0900z.

IAPs - Instrument Approach Procedures

ILS OR LOC RWY 34 **CHANGED**	download (313KB)
RNAV (RNP) Z RWY 06 **CHANGED**	download (230KB)
RNAV (RNP) Z RWY 24 **CHANGED**	download (245KB)
RNAV (RNP) Z RWY 34 **CHANGED**	download (310KB)
RNAV (GPS) Y RWY 06 **CHANGED**	download (271KB)
RNAV (GPS) Y RWY 24 **CHANGED**	download (266KB)
RNAV (GPS) Y RWY 34 **CHANGED**	download (318KB)
LDA Y RWY 06 **CHANGED**	download (342KB)
LDA Z RWY 06 **CHANGED**	download (288KB)
VOR/DME-A **CHANGED**	download (232KB)
NOTE: Special Alternate Minimums apply **CHANGED**	download (143KB)

Departure Procedures

BUFIY THREE (RNAV) **CHANGED**	download (137KB)
DIXXY EIGHT **CHANGED**	download (132KB)
HOKEE THREE **CHANGED**	download (155KB)
MONAT THREE (RNAV) **CHANGED**	download (134KB)

SCUTA THREE (RNAV) ****CHANGED****
NOTE: Special Take-Off Minimums/Departure Procedures
apply ****CHANGED****

[download](#) (156KB)
[download](#) (357KB)

Other nearby airports with instrument procedures:

- [KBCB](#) - Virginia Tech/Montgomery Executive Airport (22 nm W)
- [W91](#) - Smith Mountain Lake Airport (22 nm SE)
- [W90](#) - New London Airport (31 nm E)
- [KPSK](#) - New River Valley Airport (35 nm W)
- [KLYH](#) - Lynchburg Regional Airport/Preston Glenn Field (37 nm E)

FBO, Fuel Providers, and Aircraft Ground Support

Business Name	Contact	Services / Description	Fuel Prices	Comments
Signature Flight Support	540-563-4401 [web site] [email]	Aviation fuel, Aircraft parking (ramp or tiedown), Passenger terminal and lounge, Aircraft maintenance, Avionics sales and service, Pilot supplies, ... 	independent 100LL Jet A FS \$6.50 \$7.56 Updated 18-Mar-2022	not yet rated 3 read write
		More info about Signature Flight Support	FS= Full service	UPDATE PRICES

Would you like to see your business listed on this page?

If your business provides an interesting product or service to pilots, flight crews, aircraft, or users of the Roanoke-Blacksburg Regional Airport/Woodrum Field, you should consider listing it here. To start the listing process, click on the button below

[ADD YOUR BUSINESS OR SERVICE](#)

Other Pages about Roanoke-Blacksburg Regional Airport/Woodrum Field

- [www.roanokeairport.com](#)
- [www.ci.roanoke.va.us/...](#)
- [www.roanoke.org/air.html](#)
- [www.flyvirginia.com/...](#)

[UPDATE, REMOVE OR ADD A LINK](#)